



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 8 N

R 2 W



Description of the Soil on the interior Sectional lines.

Between Sections	Quantity &c.	Between Sections	Between Sections	Between Sections	
35 & 36	Land Rich & Rolling Timber Poplar Oak Walnut Sugar	35 & 36	Land Rich & Rolling Timber Poplar Oak Walnut Sugar	31 & 32	Land Rich & Rolling Timber Poplar Oak Walnut Sugar
25 & 36	ditto	37 & 38	ditto	29 & 30	ditto
25 & 36	ditto	38 & 39	ditto	28 & 29	ditto
	ditto	39 & 40	ditto	27 & 28	ditto
	ditto	40 & 41	ditto	26 & 27	ditto
	ditto	41 & 42	ditto	25 & 26	ditto
	ditto	42 & 43	ditto	24 & 25	ditto
	ditto	43 & 44	ditto	23 & 24	ditto
	ditto	44 & 45	ditto	22 & 23	ditto
	ditto	45 & 46	ditto	21 & 22	ditto
	ditto	46 & 47	ditto	20 & 21	ditto
	ditto	47 & 48	ditto	19 & 20	ditto
	ditto	48 & 49	ditto	18 & 19	ditto
	ditto	49 & 50	ditto	17 & 18	ditto
	ditto	50 & 51	ditto	16 & 17	ditto
	ditto	51 & 52	ditto	15 & 16	ditto
	ditto	52 & 53	ditto	14 & 15	ditto
	ditto	53 & 54	ditto	13 & 14	ditto
	ditto	54 & 55	ditto	12 & 13	ditto
	ditto	55 & 56	ditto	11 & 12	ditto
	ditto	56 & 57	ditto	10 & 11	ditto
	ditto	57 & 58	ditto	9 & 10	ditto
	ditto	58 & 59	ditto	8 & 9	ditto
	ditto	59 & 60	ditto	7 & 8	ditto
	ditto	60 & 61	ditto	6 & 7	ditto
	ditto	61 & 62	ditto	5 & 6	ditto
	ditto	62 & 63	ditto	4 & 5	ditto
	ditto	63 & 64	ditto	3 & 4	ditto
	ditto	64 & 65	ditto	2 & 3	ditto
	ditto	65 & 66	ditto	1 & 2	ditto

South Boundary, April 4, 1811

West On the South Boundary of sec. 36. T. 8. N. R. 2 W.
 40.00 Set a 7/4 sec post from which a
 Spruce 18 in dia. bears S 63 E 16 links dist. 12
 Sugar 12 " " " N 44 W 16 " "
 42.00 To a Brook 3 links 3 miles wide, corner N.
 44.25 To a W Oak 24 in dia. in the line.
 80.00 Set a post for the cor of sec. 35 & 36. From which a
 Birch 5 in dia. bears S 22 E 10 links dist. 12
 Do. 12 " " " N 35 W 15 " "
 Sand good Timber Birch, Sugar, Oak, &c.

West On the South Boundary of sec. 35. T. 8. N. R. 2 W.
 40.00 Set a 7/4 sec post from which a
 Birch 15 in dia. bears S 18 E 13 links dist. 12
 Do. 16 " " " S 85 W 13 " "
 69.75 To a Sugar 16 in dia. in the line.
 80.00 Set a post for the cor of sec. 34 & 35 from which a
 Sugar 12 in dia. bears South 17 links dist. 12
 Mulberry 8 " " " N 54 W 34 " "
 Sand 8 1/2 mile Good Timber Birch, Sugar, Oak &c
 2nd 7/4 " Rich and hard Timber Birch,
 Sugar, Poplar, &c.

West On the South Boundary of sec. 34. T. 8. N. R. 2 W.
 32.50 To a Birch 12 in dia. in the line.
 40.00 Set a 7/4 sec post from which a
 Hick 20 in dia. bears S 68 E 34 links dist. 12
 Do. 18 " " " N 87 W 25 " "
 67.75 To a Hick 12 in dia. in the line.
 80.00 Set a post for the cor of sec. 33 & 34 from which a
 Hick 15 in dia. bears S 74 E 16 links dist. 12
 Do. 14 " " " N 44 W 20 " "

Lands & timber same as last mile.

West On the South Boundary of sec. 33 T. 8. N. R. 2nd M.
 31.50 To a W Oak 30 in dia. in the tree.
 40.00 Set a new post from which,
 Hickory 12 in dia. bears S 54 W 30 links dist; to
 W Oak. 18 " " " N 79 E 45 " "
 46.00 To a Brook 3 links mid, corner N.
 80.00 Set a post for the cor of sec 32 & 33. From which,
 Gum 12 in dia. bears S 37 E 18 links dist; to
 Hickory 16 " " " N 33 W 19 " "
 Good Oak Limb.

West On the South Boundary of sec. 32 T. 8. N. R. 2nd M.
 28.50 To a Poplar 28 in dia. in the tree.
 40.00 Set a new post from which,
 Dogwood 6 in dia. bears N 84 E 31 links dist; to
 Sugar. 13 " " " West 24 " "
 80.00 Set a post for the cor of sec 31 & 32 from which,
 Sugar 16 in dia. bears N 49 E 23 links dist; to
 Beech. 16 " " " S 29 W 23 " "
 Good Oak Limb.

West On the South Boundary of sec. 31 T. 8. N. R. 2nd M.
 17.00 To a Brook 3 links mid, corner S.
 40.00 Set a new post from which,
 Sugar 14 in dia. bears S 76 W 13 links dist; to
 Walnut 8 " " " N 55 E 20 " "
 50.00 To a Brook 10 links mid, corner S.E.
 77.00 " " " " " " " " " " " "
 80.00 Set a temp. post for the cor of T. 7 & 8. N. R. 2nd M.
 Lands good Timber Sugar, Oak, & Poplar.
 Surveyed by Alexander, Holmes & Co.

East Boundary

BRO

North On the East Boundary of sec. 36 T. 8. N. R. 2nd M.
 15.00 To a Creek 50 links mid, corner S.E.
 40.00 Set a new post from which,
 Beech 18 in dia. bears S 60 E 17 links dist; to
 " 15 " " " " " " " " " " " "
 55.50 To an Ash 16 in dia. in the tree.
 80.00 Set a post for the cor of sec 25 & 36 from which,
 Dogwood 4 in dia. bears N 60 E 10 links dist; to
 Beech. 18 " " " " " " " " " " " "
 Lands rich oak land, & water land. Timber Sugar,
 Walnut, Ash, &c.

North On the East Boundary of sec. 25 T. 8. N. R. 2nd M.
 16.50 To a Brook 8 links mid, corner E.
 28.00 To a Beech 40 in dia. in the tree.
 40.00 Set a new post from which,
 Sugar 13 in dia. bears S 24 E 20 links dist; to
 Beech. 8 " " " " " " " " " " " "
 44.00 To a Creek 60 links mid, corner S.E.
 80.00 Set a post for the cor of sec 24 & 25 from which,
 Sugar 13 in dia. bears N 55 E 11 links dist; to
 " 14 " " " " " " " " " " " "
 Lands and timber same as last mile.

North On the East Boundary of sec. 24 T. 8. N. R. 2nd M.
 18.00 To a W Oak 20 in dia. in the tree.
 40.00 Set a new post from which,
 Sugar 16 in dia. bears S 78 W 14 links dist; to
 Beech 3 " " " " " " " " " " " "
 80.00 Set a post for the cor of Sec. 13 & 24 from which,
 Sugar 13 in dia. bears S 66 E 16 links dist; to
 " 6 " " " " " " " " " " " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Sands of a middling quality, Timitu Beal, Sugar, Poplar &c.

North On the East Boundary of sec. 13. T. 8. N. R. 27 W
40.00 Set a 7/8 sec post from which
W Oak 16 in dia: bears S 52 W 37 links dist: &c.
Dogwood 11 " " N 117 E 13 " "
69.00 To a Brook 8 links mid, Corner S.E.
78.00 " " Sugar 13 in dia: in the line
80.00 Set a 7/8 sec post for the cor of sec. 12 & 13 from which
Ash. 6 in dia: bears N 30 W 11 links dist: &c.
W Oak 5 " " S 66 E 18 " "
Land on the 1st 7/8 mile of middling quality. Timitu
Beach, Sugar, & Poplar: 2nd 7/8 mile 2nd rate
Timitu Oak, & Poplar.

North On the East Boundary of sec. 12 T. 8. N. R. 27 W.
23.50 To a Beech. 14 in dia: in the line
35.00 To a spring 20 links mid, Corner S.E. A Rattle
snake den at the head.
40.00 Set a 7/8 sec post from which
Poplar 40 in dia: bears N 65 E 8 links dist: &c.
Do. 36 " " " N 54 W 24 " "
80.00 Set a post for the cor of sec. 17 & 12 from which
Dogwood 4 in dia: bears S 60 W 7 links dist: &c.
R. Oak. 30 " " " S 40 E 5 " "
Sands level & Timitu Oak

North On the East Boundary of sec. 1. T. 8. N. R. 27 W
28.30 To a W Oak 36 in dia: in the line.
40.00 Set a 7/8 sec post from which
W Oak 10 in dia: bears S 56 W 11 links dist: &c.
Poplar 40 " " " N 31 E 7 " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

57.50 To an R. Oak. 20 in dia: in the line
81.00 Set attempt post for the cor of sec. 8 & 9 N. R. 27 W
Land level and good Timitu Oak.

North Boundary B. 136.
April 6. 1811. From the cor. of T. 8 & 9 North of
R. 27 W. thence
West On the South Boundary of sec. 36. T. 9. N. R. 27 W.
40.00 Set a 7/8 sec. post from which
Stick 13 in dia: bears N 37 E 31 links dist: &c.
Do. 14 " " " S 53 W 22 " "
80.00 Set a post for the cor of sec. 35 & 36 from which
Dogwood 5 in dia: bears S 46 W 28 links dist: &c.
Do. 4 " " " N 76 E 16 " "
Land level Timitu Oak, & Stick

West On the South Boundary of sec. 35. T. 9. N. R. 27 W.
35.00 To a Brook 10 links mid, Corner S.
40.00 Set a 7/8 sec post from which
Beech. 10 in dia: bears S 46 E 14 links dist: &c.
Dogwood 5 " " " N 87 W 16 " "
80.00 Set a post for the cor of sec. 34 & 35. from which
W Oak 15 in dia: bears N 30 W 7 links dist: &c.
Do. 18 " " " S 45 W 13 " "
Land level Timitu Oak, & Stick

West On the South Boundary of sec. 33. T. 9. N. R. 27 W.
40.00 Set a 7/8 sec post from which
Sugar. 10 in dia: bears N 22 W 13 links dist: &c.
Do. 13 " " " S 11 W 30 " "
80.00 Set a post for the cor of sec. 33 & 32 from which
W Oak. 16 in dia: bears N 25 E 4 links dist: &c.
Sugar. 8 " " " S 35 W 36 " "

T. N. 8. N. R. N. 2 W. 2nd Mer. Ind.

Good land; Timber ash, Sugar, & Walnut. &c.

West On the South Boundary of Sec. 34. T. 9 N. R. 2 W.
 40.00 Set a 7th sec post from which
 Sugar. 12 in diam. bears S 35 E. 13 links dist. &c.
 No. 8 " " " N 57 W. 12 " "
 80.00 Set a post for the cor. of sec 33 & 34 from which
 Gum. 5 in diam. bears S 40 W. 12 links dist. &c.
 B. Oak 36 " " " N 55 E. 15 " "
 Good land Timber Oak, Poplar, Sugar, &c.

West On the South Boundary of sec. 32. T. 9 N. R. 2 W.
 29.00 To a Brook 20 links wide, corner NW.
 40.00 Set a 7th sec post from which
 Elm. 5 in diam. bears S 87 E. 18 links dist. &c.
 Butternut. 12 " " " N 40 W. 16 " "
 80.00 Set a post for the cor. of sec 31 & 32 from which
 Sugar. 12 in diam. bears S 30 E. 14 links dist. &c.
 Buck 8 " " " N 12 W. 12 " "

West On the South Boundary of sec. 31. T. 9 N. R. 2 W.
 40.00 Set a 7th sec post from which
 Sugar. 16 in diam. bears N 26 W. 26 links dist. &c.
 No. 4 " " " S 30 E. 5 " "
 80.00 Set a temporary post for the cor. of sec 16 & 31 & 36. T.
 S & 9. N. R. 2 W. April 7. 1811

West Boundary
 North On the East Boundary of sec. 36. T. 8 N. R. 3 W.
 11.50 To a Brook 8 links wide, corner S.E.
 20.00 Set a 7th sec post from which
 Buck. 14 in diam. bears S 20 W. 31 links dist. &c.
 No. 16 " " " N 51 E. 26 " "

B. 138

T. N. 8. N. R. N. 2 W. 2nd Mer. Ind.

54.00 To a Buck 14 in diam. in the line.
 80.00 Set a post for the cor. of Sec. 25 & 36. from which a
 Buck 12 in diam. bears S 59 E. 18 links dist. &c.
 Gum 32 " " " N 19 W. 32 " "
 Good level. Timber. Buck. Gum. Poplar &c.

North On the East Boundary of Sec. 25. T. 8. N. R. 3. W.
 19.50 To a Gum 20 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 10 in diam. bears S 19 E. 10 links dist. &c.
 No. 11 " " " N 26 W. 37 " "
 80.00 Set a post for the cor. of Sec. 24 & 25. from which a
 Buck 9 in diam. bears N 25 W. 10 links dist. &c.
 Maple 12 " " " S 79 E. 22 " "
 Good level. Timber. Oak &c.

North On the East Boundary of Sec. 24. T. 8. N. R. 3. W.
 15.00 To a Hickory 18 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 13 in diam. bears N 59 W. 12 links dist. &c.
 No. 5 " " " S 43 E. 14 " "
 80.00 Set a post for the cor. of Sec. 13 & 24. from which
 a Poplar 5 in diam. bears N 18 E. 15 links dist. &c.
 No. 5 " " " East 19 " "
 Land hilly & stony. Timber. Oak &c.

North On the East Boundary of Sec. 13. T. 8. N. R. 3. W.
 35.00 To a Buck 14 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 15 in diam. bears S 52 W. 40 links dist. &c.
 No. 14 " " " S 60 E. 32 " "
 47.00 To a Buck 50 links wide; course N.W.
 80.00 Set a post for the cor. of Sec. 12 & 13. from which a

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Buck 18 in diam. bears S. 58. E. 23 links dist. to
 Sugar 12 " " " N 76. W. 19. " "
 Land hilly & rich Timber as above

North On the East Boundary of sec. 12 T. 8. N. R. 27
 40.00 Set a new post from which,

Buck 14 in diam. bears N 61 W. 14 links dist; to,
 Do. 7 " " S 47 E. 16 " "

63.50 To a Sugar 7 in diam. in the line.

69.00 To a Brook 15 links wide, corner S. W.

80.00 Set a post for the cor. of sec. 17 2nd from which,
 Sugar 14 in diam. bears S 68 W. 20 links dist; to,
 Buck. 15 " " N 86 E. 18 " "
 Land 2nd rate; Timber Buck, Sugar, &c.

North On the East Boundary of sec. 1. T. 8. N. R. 27

9.00 To a Poplar — in diam. in the line.

40.00 Set a new post from which,

Poplar 20 in diam. bears S 82 E. 23 links dist; to,

Buck 6 " " S 82 W. 24 " "

78.00 Tell 10 ch East of the temp^l post and set a post for
 the cor. of T. 8 & 9 N. R. 2 & 3 from which,

Sugar 13 in diam. bears S 77 E. 9 links dist; to,

Do. 12 " " S 46 W. 17 " "

Land & timber same as last mile.

Surveyed by
 April 8. 1811 James Holmes. L.S.

Subdivisions

North Return Sec. 35 T. 36 T. 8. N. R. 27

23.50 To a Brook 25 links wide, corner S. E.

40.00 Set a new post from which,

Buck 12 in diam. bears S 44 W. 34 links dist; to,

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Nick 12 in diam. bears N 40 E. 23 links dist.

72.50 To a Brook 25 links wide, corner S. E.

80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which,
 Sugar 10 in diam. bears S 80 E. 20 links dist; to,

Buck 20 " " S 46 W. 7 " "

Land with some rolling; Timber Poplar, Oak, Walnut,
 Sugar.

East On a R. and m. line between Sec. 25 & 36 T. 8. N. R. 27

13.50 To a Spring corner S.

27.00 " Brook. 10 links wide, corner S. W.

40.00 Set a temp^l post in sec. 17.

80.00 Enter cut the N. & S. line 12 links South of the post cor.
 of sec. 25 & 36. Land the same.

West On the line between Sec. 25 & 36 T. 8. N. R. 27

40.00 Set the temp^l post in sec. 17 at the corner on the line from
 which a Red Oak 10 in diam. bears N 74 E. 17 links dist
 and a W. Ash. 20 " " S 56 W. 16 " "

80.00 Set the post cor. of sec. 25, 36, 35 & 36.

North Return Sec. 25 & 36 T. 8. N. R. 27

40.00 Set a new post from which,

Buck 15 in diam. bears S 72 W. 18 links dist; to,

Do. 8 " " S 74 E. 7 " "

80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which,

Edm. 12 in diam. bears N 12 W. 9 links dist; to,

Buck 15 " " S 20 E. 10 " "

Land the same.

East On a R. and m. line between Sec. 24 & 25 T. 8. N. R. 27

40.00 Set a temp^l post

50.00 To a Brook 20 links wide corner South.

T. N. 8. R. N. 27. 27. 27. Min. Ind.

80.20	Intersect the East Boundary 10 links North of the post cor of sections 24 & 25. Same the same.
West 40.10	On the true line between Sec. 24 & 25 T. 8. N. R. 27. Set the temp. 7/4 sec post at the ar. dist. on the true line from white, Beech 12 in diam. bears N 60 E. 15 links dist. and a Sugar 18 " " " S 56 W 24 " "
80.20	To the post cor of sec. 23, 24, 25 & 26.
North 34.00	Between Sec. 23 & 24 T. 8. N. R. 27. To spring corner E.
40.00	Set a new post from white, Beech 7 in diam. bears S 65 W. 20 links dist. and a Red Bud 5 " " " N 87 E. 11 " "
44.00	To a Brook 25 links wide, corner S. E.
80.00	Set a post for the cor of sec. 13, 14, 23 & 24 from white, Poplar 40 in diam. bears N 4 W. 11 links dist. and a Sugar 15 " " " S 44 E. 24 " "
	Same the same as last mile.
East 40.00	On a Remnant line between Sec. 13 & 24 T. 8. N. R. 27. Set a temp. 7/4 sec post.
46.00	To spring corner S.
79.30	Intersect the E. Boundary 30 links South of the post cor. of sec. 13 & 24. Same the same as last mile.
West 39.65	On the true line between Sec. 13 & 24 T. 8. N. R. 27. Set the temp. 7/4 sec post at the ar. dist. on the true line from white, Gum 20 in diam. bears S 60 E. 3 links dist. and a Dogwood 5 " " " N 33 W 25 " "
79.30	To the cor of sec. 13, 14, 23 & 24.
North	Between Sec. 13 & 14 T. 8. N. R. 27.

comp.

T. N. 8. R. N. 27. 27. 27. Min. Ind.

110.00	Set a post for the cor of 14 Sec. from which a Sugar 12 in diam. bears N 87 W. 20 links dist. and an Elm 6 " " " S 59 E. 18 " "
80.00	Set a post for the cor of Sec. 11, 12, 13 & 14 from which a Beech 30 in diam. bears N 10 W. 13 links dist. and a Dogwood 5 " " " N 15 E. 19 " "
	Same the same as last mile.
East 40.00	On a Remnant line between Sec. 12 & 13 T. 8. N. R. 27. Set a temp. 7/4 sec post.
79.80	Intersect the East Boundary 34 links North of the post cor of sec. 12 & 13. Same the same.
West 39.90	On the true line between Sec. 12 & 13 T. 8. N. R. 27. Set the temp. 7/4 sec post at the ar. dist. on the true line from white, Hickory 8 in diam. bears S 10 E. 14 links dist. and a Dogwood 3 " " " N 48 W 8 " "
79.80	To the post cor of sec. 11, 12, 13 & 14.
North 15.50	Between Sec. 11 & 12 T. 8. N. R. 27. To a Brook 10 links wide, corner W.
40.00	Set a new post from white, Beech 12 in diam. bears S 72 W. 14 links dist. and a Red Bud 4 " " " S 57 E. 15 " "
42.00	To a Brook 10 links wide, corner S. E.
80.00	Set a post for the cor of sec. 1, 2, 11 & 12 from white, Hickory 8 in diam. bears N 12 E. 9 links dist. and a Dogwood 25 " " " S 36 W 13 " "
	Same the same as last mile.
East 24.00	On a Remnant line between Sec. 1 & 12 T. 8. N. R. 27. To a Brook 12 links wide, corner S.
40.00	Set a new post temp.

T. N. 8. N. R. N. 277 2nd Mer. Ind.

79.30 Enter cut the East Boundary 38 miles South of the post
cor of sec. 1 & 12. Same the same.

West Return Sec. 1 & 12 T. 8. N. R. N. 277 2nd Mer.
39.65 Set the trip for a post at the corner on the true line
from white, Black 12 in diam. bears S 75 N 10 the dist; or
Nick 14 " " " N 60 E 23 " "

79.30 To the post cor of sec. 1, 2, 11 & 12.

North Return Sec. 1 & 12 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white,
Hornwood 8 in diam. bears N 41 E 3 the dist; or
Dogwood 8 " " " S 49 N 16 " "

74.50 Enter cut the N Boundary 240 miles East of the post cor
of sec. 25 & 36. T. 9. N. R. 277 and set a post for the
cor of 1, 1 & 12 from white,
Sum. 9 in diam. bears N 49 N 12 the dist; or
Dogwood 6 " " " N 6 N 14 " "
Same the same as last mile.

North Return Sec. 34 & 35 T. 8. N. R. 277.
26.50 To a Brook 12 miles mid, corner S. E.
40.00 Set a 1/4 sec post from white,
Oak 10 in diam. bears N 44 N 13 the dist; or
Sugar 6 " " " S 8 E 27 " "
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from white,
Sugar 10 in diam. bears N 62 E - the dist; or
Dogwood 3 " " " S 34 E 7 " "
Same the same as last mile.

East On a Ram line between Sec. 26 & 35 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white,
66.50 To a Brook 10 miles mid, corner S.

T. N. 8. N. R. N. 277 2nd Mer. Ind.

80.10 Enter cut the N B line 6 miles South of the post cor of
Sec. 25, 26, 35 & 36. Same the same.

West On the true line between Sec. 26 & 35 T. 8. N. R. 277.
40.05 Set the post for the cor of 1/4 sec. at the over. dist. on the true
line from which a Sugar 10 in diam. bears S 58 E 7 links dist. S. a
Sec. 10 " " " S 54 N 23 " "
80.10 To the post cor of Sec.

North Return Sec. 26 & 37 T. 8. N. R. 277.
40.00 Set a post for the cor of 1/4 sec. from which a
Hickory 10 in diam. bears S 13 E 11 links dist. S. a
Hornwood 3 " " " N 14 N 3 " "
80.00 Set a post for the cor of sec. 22, 23, 26 & 27 from white,
Dogwood 6 in diam. bears S 31 E 34 the dist; or
Sum. 6 " " " N 20 N 21 " "
Same the same as last mile.

East On a Ram line between Sec. 23 & 26 T. 8. N. R. 277.
40.00 Set a trip for a sec post
79.80 Enter cut the N B line 24 miles South of the post cor
of sec. 23 & 24, 25 & 26. Same the same.

West On the true line between Sec. 23 & 26 T. 8. N. R. 277.
39.90 Set the trip for a sec post at the corner on the true line
from white, Black 6 in diam. bears S 32 E 8 the dist; or
Maple 10 " " " S 59 N 23 " "
79.80 To the post cor of sec. 22, 23, 26 & 27

North Return Sec. 22 & 23 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white,
6 in diam. bears S 29 N. 6 links dist; or
Poplar 10 " " " S 24 E 8 " "

I. N. 8. N. R. N. 273rd Mm. Ind.

85.00 Set apart for the car of sw 14, 15, 22 & 23 from white,
Walnut 10 in dia: bears S 25 N 5 W dist: 12,
W Walnut 10 " " " S 61 E 22,
Sands the same.

East On a Random line between Sec 14 & 23 I. S. N. R. 273rd
40.00 Set a trap for sw post.
80.13 Set out the N 13 line 16 miles South of the post on of
Sec 13, 14, 23 & 24. Sands the same.

West On a line between Sec 14 & 23 I. S. N. R. 273rd
40.06 Set the trap for sw post at the ar dist on the new line
from white, Buck 10 in dia: bears S 31 E 14 the dist
and a W Oak 12 " " " S 66 E 16 " "
80.13 To the post on of sw 14, 15, 22 & 23.

North Return Sec 14 & 15 I. S. N. R. 273rd
40.00 Set a trap for sw post from white,
Buck 12 in dia: bears S 11 W 29 the dist: 12,
Logwood 6 " " " S 24 E 9 " "
32.00 To a Brook 8 miles, corner E.
80.00 Set a post for the car of sw 10, 11, 14 & 15, from white,
Sugar 10 in dia: bears N 27 W 25 the dist: 12,
Ho 12 " " " S 46 E 29 " "
Sands the same, as last mile.

East On a Random line between Sec 11 & 14 I. S. N. R. 273rd
40.00 Set a trap for sw post.
79.50 Set out the N 13 line 10 miles South of the post on of
Sec 11, 12, 13 & 14. Sands the same.

West On a line between Sec 11 & 14 I. S. N. R. 273rd
39.75 Set the trap for sw post at the ar dist on the new line from

I. N. 8. N. R. N. 273rd Mm. Ind.

white, W Oak 10 in dia: bears S 10 W 7 the dist: 12,
Buck 10 " " " S 26 W 5 " "
79.50 To the car of sw 10, 11, 14 & 15.

North Return Sec 10 & 11 I. S. N. R. 273rd
40.00 Set a trap for sw post from white,
Sugar 10 in dia: bears N 19 W 22 the dist: 12,
Logwood 6 " " " S 26 E 11 " "
80.00 Set apart for the car of sw 2, 3, 10 & 11, from white,
Lassafra 6 in dia: bears S 16 W 6 the dist: 12,
Logwood 5 " " " S 36 W 11 " "
Sands the same, as last mile.

East On a Random line between Sec 2 & 11 I. S. N. R. 273rd
40.00 Set a trap for sw post.
64.00 To a Brook 8 miles, corner E.
80.14 Set out the N 13 line 21 miles South of the post on of
Sec 2, 1, 11 & 12. Sands the same.

West On a line between Sec 2 & 11 I. S. N. R. 273rd
40.07 Set the trap for sw post at the ar dist on the new line
from white, Buck 14 in dia: bears S 51 E 13 the dist:
and a Hick 6 " " " S 40 W 10 " "
80.14 To the car of sw 2, 3, 10 & 11.

North Return Sec 2 & 3 I. S. N. R. 273rd
40.00 Set a trap for sw post from white,
Buck 10 in dia: bears N 11 W 6 the dist: 12,
Ho 12 " " " S 17 E 16 " "
41.00 To a Brook 8 miles, corner S. 41.
74.79 A Hick 8 in dia: stands in the N. 13 corner of 185
trap East of the post on of sw 3, 4 & 5. I. S. N. R. 273rd
Sands the same.

J. A. S. R. P. D. W. D. M. Ind.

Book Returns Dec 33 & 34. J. S. M. R. D. M.

40.00. Set apart for the crop put from which,
Sassafras in dist. have. Still E.C. bark dist. or,
Poplar. 13" " " N.J.D.N. 19 " "

10,000 Let a post forth on your 27, 28 33 + 34 from which
 Gum. Co is due. have. 177 N. 18 miles west, or
 Poplar 40 " " " 145 N. 20 " "
 Send the same as last mile.

Coast Cap Random time between Gas 27 134 T.M.M.

40.00 Set a tempo. 1/2 sec post.

80.08. Data at the N.E. line 28 yds. South of the first cor.
of nos 26, 27, 34 & 35. Same as the same.

Wet Cape Line Line between Sec 27 134 T. 8. N. R. 34

No 54 Let the timber in ea post at the ar cut on the town line
from which, Log good 40 in dia. bears \$357.15 the dia.
and a Buck. 4 4 4 4 \$857.11 1 1

80.08. To the first cn of 20: 27, 28, 33 & 34

North Return Jan. 27, 1828. I. S. N. B. 27.

4900 Let a p. report from Wacker,
 Sum 6 in at home. \$84 E. 32 W. met; 10,
 W. gate 15 " " " " \$87 W 10 " "

6.00 Set apart for the cor of sec. 21. 22. 27 28 from which
Bent 4 in diam. bore. Sp. E. 15 lb. ash; Pa.
Lappan 24 " " " Sp. 7 20 " "
Same as the same as last meter.

West Quay from New line between Dec 22 1927 to same 27m

4000 Sixty four in the West

87.20 Inter cut the N13 line 28 miles South of the post on
of nos 22, 23, 26, 127 Same as the same.

S. A. & A. R. A. Co. J. N. J. M. Co. Ind. Co.

Met On the line line between Sec 22 & 27 T8 N R 2 W

40.10 Set the trip 70 sec just at the arc dist on the time line from
which Sugar. 15 in arc has 220 E 1 clock dist.
and on E line 24 " " 330 E 13 " ,

50.20 To the put ca of Dec 21, 22, 27 & 28.

Book Referson La 21/22 T.S.R. No 27

40.00 Set a m ea post from which
 P. place 30 in dia. to m. S.S. N. of the ditch, etc.
 Rept. 36 a a a N 70 E 44 a a

81.00 Set apart for the car-pool 16.15, 21.25 from about
Nagar. 5 mi. dist. has N29 E 4 km. dist. to,
Loc. 5 " " " S55 N. 9 " "
I send the same as last note.

East Cape Kanam 6 mi between Sta 15722 & S.N.R. 270

4000 Let a tempo 7^u la post.

80.00 Intersect the N 75 E line 100 yds North of the post in of
Sec. 14, 15, 22 & 23. Same to the same.

Next Quartz line line between Sec 15 & 22 T. 2 N. R. 2 W.

40,000 Set the trumpet tree fork at the anast on the true line
from which a Sugar. 5 in diameter S 3/4 E. 20th dist
unaca Dec. 20 + " " Born 19 + "

50,00 I. M. post ca of 2w. 15. 16. 21 & 22.

Arch Between Cas 15716 I S N N. 27.

40:00 Arrive 15 in air. Home Gate car of 74 on 1

80,00 Set apart for the ca of pr. 9.10 16th June which,
 Ficks 8 in diam trees. 150 W. 8 lbs each, 10,
 W. 20, 4, 3 140 W. 32, 4
 Sounds the same as last mile,

T. N. 8. N. R. N. 2nd M. Ind.

10.50 To where the Brook was crossed three times.
 40.00 Set a 1/2 lb post from which
 W Walnut 7 in dia^r beam. N 11 E. 4 lbs dist; ca,
 Sugar. 18 " " " S 20 W. 36 " "
 80.00 Set a post for the cor of sec. 20. 21. 28 & 29 from which
 Hogwood 4 in dia^r beam. N 45 W. 11 lbs dist; ca,
 Do. 4 " " " S 33 E. 20 " "
 Same as the same, as last mile.

East On a Random line between Sec 21 & 28 T. 8. N. R. 2nd M.
 40.00 Set a temporary 1/2 lb post.
 41.00 To a Brook 15 links mds. corner S. W.
 80.28. Set out the N. 13 line. 20 links South of the post on
 of sec 21, 22, 27 & 28. Same as the same.

West On the True line between Sec 21 & 28 T. 8. N. R. 2nd M.
 40.14 Set the temporary 1/2 lb post at the corner in the true line
 from which, Reck. 5 in dia^r beam. N 34 W. 40 lbs dist
 under Do 15 " " " S 40 E. 28 " "
 80.21. To the post cor of sec 20. 21. 28 & 29.

North Return Sec 20 & 21. T. 8. N. R. 2nd M.
 40.00 Set a 1/2 lb post from which
 Hogwood 6 in dia^r beam. N 37 W. 4 lbs dist; ca,
 Hick. 10 " " " N 57 E. 16 " "
 80.00 Set a post for the cor of sec 16, 17, 20 & 21 from which
 Ironwood. 4 in dia^r beam. S 48 E. 5 lbs dist; ca,
 Sugar. 8 " " " S 27 W. 15 " "
 Same as the same.

East On a Random line between Sec 16 & 21 T. 8. N. R. 2nd M.
 40.00 Set a temporary 1/2 lb post of
 54.75. To a Brook 18 links mds. corner S.

T. N. 8. N. R. N. 2nd M. Ind.

79.95 Set out the N. 13 line. 10 links South of the post on
 of sec 15. 16. 21 & 22. Same as the same.

West Return Sec 16 & 21. On the True line T. 8. N. R. 2nd M.
 39.97 1/2 Set the temporary 1/2 lb post at the corner in the true line
 from which, Sugar. 24 in dia^r beam. S 10 E. 19 lbs dist; ca,
 W. Ash. 3 " " " N 58 W. 12 " "
 79.95. To the post cor of sec 16. 17. 20 & 21.

North Return Sec 16 & 21. T. 8. N. R. 2nd M.
 40.00 Set a 1/2 lb post from which
 W Oak. 7 in dia^r beam. S 51 E. 8 lbs dist; ca,
 Do. 5 " " " S 6 E. 15 " "
 80.00 Set a post for the cor of sec 8. 9. 16 & 17 from which
 Reck. 8 in dia^r beam. N 82 W. 18 lbs dist; ca,
 Do. 8 " " " N 65 E. 14 " "
 Same as the same.

East On a Random line between Sec 9 & 16 T. 8. N. R. 2nd M.
 40.00 Set a temporary 1/2 lb post.
 80.00 Set out the N. 13 line 20 links South of the post cor of sec
 9. 10. 15 & 16. Same as the same.

West On the True line between Sec 9 & 16 T. 8. N. R. 2nd M.
 40.00 Set the temporary 1/2 lb post at the corner in the true line
 from which, W Oak 15 in dia^r beam. S 25 W. 13 links dist
 under Lynn. 5 " " " S 32 E. 12 " "
 80.00 To the post cor of sec 8. 9. 16 & 17.

North Return Sec 8 & 9 T. 8. N. R. 2nd M.
 40.00 Set a post for the cor of 1/2 lb from which
 Reck. 20 in dia^r beam. S 62 W. 32 lbs dist; ca,
 Elm. 4 " " " N 10 E. 20 " "

T. N. 8. N. R. N. 27. 2nd. M. Sud.

80.00 Set apart for the car of 4.5.849 from white,
Lugar 6 in air bear. N 5 E. 10 Ks dist. 10,
Hick 12 in air bear. N 65 N. 22 in air.
Sends the same as last mile.

East On a Roman line between Jan 489. T. 8. N. R. 27.

40.50 Set a trap for the car.

79.50 To a Brook 10 miles in. Corner N. W.

80.10 Set out the N. 5 line 22 miles South of the post on of
Jan. 3. 4. 9. 10. Sends the same.

West On the line line between Jan 489. T. 8. N. R. 27.

40.05 Set the trap for the car post at the air chest on the line line
from white, in air. 10 in air bear. N 84 E. 27 Ks dist
and a Hackberry 10 in air. N 66 N. 17 in air.

80.10 To the post on of 4.5.849

North Return Jan 485 T. 8. N. R. 27.

39.50 To a Brook 15 miles in. Corner N. W.

40.00 Set a trap for the car from white,

Beck - in air bear. N 75 E. 24 Ks dist. 10,

Poplar 12 in air. N 97 E. 10 in air.

64.00 To a Brook 10 miles in. Corner N.

75. 67 Set out the N. 5 line 300 miles East of the post on
of Jan. 32. 33. T. 9. N. R. 27 and set a post for the car
" 485 from white,

Beck 8 in air bear. N 64 E. 3 miles dist. 10,

W. Oak 12 in air. N 55 N. 23 in air.

Sends the same

North Return Jan 3133 T. 8. N. R. 27.

30.00 To a Brook 20 miles in. Corner N.

40.00 Set a trap for the car from white,

T. N. 8. N. R. N. 27. 2nd. M. Sud.

Hick 10 in air bear. N 27 N. 7 miles dist. 10,

Jun. 18 in air. N 7 E. 10 in air.

80.00 Set apart for the car of 29.30.31.433 from white,

Poplar 40 in air bear. N 23 N. 28 Ks dist. 10,

Beck 10 in air. N 67 E. 24 in air.

Sends the same.

East On a Roman line between Jan 29. 33. T. 8. N. R. 27.

40.00 Set a trap for the car.

63.00 To a Brook 20 miles in. Corner N. W.

79.50 Set out the N. 5 line 25 miles South of the post on of
Jan. 28. 29. 32. 33. Sends the same.

West On the line line between Jan 29. 33. T. 8. N. R. 27.

39.75 Set the trap for the car post at the air chest on the line line from
white, Lugar 8 in air bear. East 25 Ks dist.

79.50 To the car of 29.30.31.433

West Return Jan 30. 33. T. 8. N. R. 27.

22.50 To a Brook 10 miles in. Corner N.

40.00 Set a trap for the car from white,

Hick 12 in air bear. N 6 E. 29 Ks dist. 10,

Doz. 10 in air. N 55 N. 12 in air.

65.00 To a maple, 18 in air. N. W. 10 in air.

69.90 Set out the West Roman line 105 miles South of the post
on 25. 36. T. 8. N. R. 37 and set apart for the car of 29.30.31.433 from white,

Beck 12 in air bear. N 6 E. 4 Ks dist. 10,

Do. 15 in air. N 6 E. 20 in air.

Sends the same as last mile

North Return Jan 29. 33. T. 8. N. R. 27.

40.00 Set a trap for the car from white,

8000 Sugar 10 in dia. beam S 73 N. 10 links dist; 70,
 Juniper 4 1/2 " " N 14 N 15 " "
 Let a post for the cen of sec. 19, 20, 29 & 30 from whitch,
 Gum. 20 in dia. beam S 55 E. 14 links dist; 70,
 Ho. 18 1/2 " " N 68 N. 17 1/2 " "
 Sound rolling ends but not Smiths Oak, Hick &
 Poplar, Sugar. &c.

East Cap Random line between Sec. 20 & 29. T. 8. N. R. 27.
 40.00 Let a temp. 7/4 sec post.
 80.00 Let a post for the N 13 line. at the first cen of sec. 20, 21, 28 & 29
 Sound the same as last mile.

West Cap the Line line between Sec. 20 & 29. T. 8. N. R. 27.
 40.00 Let the temp. 7/4 sec post at the or east on the line
 from whitch W Oak - in dia. beam. N 45 N. 13 links dist;
 and a Ho. 10 1/2 " " N 45 N. 11 1/2 " "
 80.00 To the first cen of sec. 19, 20, 29 & 30

West Return Sec 19 & 30 T. 8. N. R. 27.
 40.00 Let a 7/4 sec post from whitch
 W Oak. 30 in dia. beam N 72 N. 18 links dist; 70,
 W Oak. 12 1/2 " " N 35 E. 14 " "
 70.50 Let a post for the West Boundary 8 links South of the first cen
 of sec. 24 & 25. T. 8. N. R. 37 and let a post for the
 cen of 19 & 30 from whitch
 Birch 8 in dia. beam N 80 N. 5 links dist; 70,
 Ho. 5 1/2 " " N 10 E. 7 1/2 " "
 Sound the same as last mile.

North Return Sec 19 & 20 T. 8. N. R. 27.
 40.00 Let a 7/4 sec post from whitch
 Birch 5 in dia. beam S 35 N. 9 links dist; 70,

W Walnut. 8 in dia. beam. N 43 E. 21 links dist;
 80.00 Let a post for the cen of sec. 17, 18, 19. & 20 from whitch,
 Maple. 18 in dia. beam S 25 N. 12 links dist; 70,
 Poplar. 5 1/2 " " N 27 E. 17 1/2 " "
 Sound the same.

East Return Sec 17 & 20 T. 8. N. R. 27.
 40.00 Let a temp. 7/4 sec post.
 80.12 Let a post for the N 13 line 15 links South of the first cen of
 Sec 16, 17, 20 & 21. Sound the same.

West Cap the Line line between Sec. 17 & 20. T. 8. N. R. 27.
 40.06 Let the temp. 7/4 sec post at the or east on the line from
 whitch, W Oak. 18 in dia. beam. S 55 E. 4 links dist; 70,
 and a Ho. 3 1/2 " " S 84 N. 33 1/2 " "
 80.12 To the first cen of sec. 17, 18, 19 & 20.

West Return Sec 18 & 19 T. 8. N. R. 27.
 40.00 Let a 7/4 sec post from whitch
 Birch 4 in dia. beam S 70 N. 36 links dist; 70,
 and a Ho. 4 1/2 " " " "
 71.63 Let a post for the West Boundary 261 links South of the
 first cen of sec. 13 & 24 T. 8. N. R. 37 and let a post for
 " " " " 18 & 19 from whitch,
 Birch 15 in dia. beam. N 83 N. 18 links dist; 70,
 Ho. 4 1/2 " " N 45 E. 22 1/2 " "
 Sound the same as last mile.

North Return Sec 17 & 18 T. 8. N. R. 27.
 40.00 Let a 7/4 sec post from whitch
 Birch 24 in dia. beam N 15 E. 13 links dist; 70,
 Sugar. 12 1/2 " " S 70 N. 23 1/2 " "
 55.50 To a Brook 15 links wide, corner N.

S. N. 8. A. R. N. 277 2nd M. Ind.

80.00 Sugar 10 in dia. beam S 37 N. 10 links dist; 70,
 Junco 44 " " N 14 N 15 " "
 Let a post for the cr of sec. 19, 20, 29 & 30 from white,
 Gum. 20 in dia. beam S 50 E. 14 links dist; 70,
 No. 18 " " " N 68 N. 17 " "
 Sound rolling under soil not 1 mile back, Hick 18
 Poplar, Sugar. &c.

East Cap. Kansas line between Sec. 20 & 29. T. 8. N. R. 277
 40.00 Let a temp. 7/4 sec post.
 80.00 Let a post for the N 13 line. at the post cr of sec. 20, 21, 28 & 29
 Sound the same as last mile.

West Let the line line between Sec. 20 & 29. T. 8. N. R. 277
 40.00 Let the temp. 7/4 sec post at the cr of sec. on the line
 from white N Oak - in dia. beam. N 45 N. 13 links dist
 and a No. 10 " " " N 45 N. 11 " "
 80.00 To the post cr of sec. 19, 20, 29 & 30

West Return Sec 19 & 30 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white
 N Oak. 30 in dia. beam N 72 N. 18 links dist; 70
 N Oak. 12 " " " N 35 E. 14 " "
 70.50 Let a post for the West Boundary 261 links South of the
 cr of sec. 24 & 25. T. 8. N. R. 377 and let a post for the
 cr of 19 & 30 from white
 Buck 8 in dia. beam N 80 N. 5 links dist; 70,
 No. 5 " " " N 10 E. 7 " "
 Sound the same as last mile.

North Return Sec 19 & 20 T. 8. N. R. 277
 40.00 Let a 7/4 sec post from white
 Buck 5 in dia. beam S 55 N. 9 links dist; 70,

S. N. 8. A. R. N. 277 2nd M. Ind.

80.00 N Walnut. 8 in dia. beam N 43 E. 21 links dist;
 Let a post for the cr of sec. 17, 18, 19, & 20 from white,
 Maple. 18 in dia. beam S 25 N. 12 links dist; 70,
 Poplar. 5 " " " N 27 E. 17 " "
 Sound the same.

East Return Sec 17 & 20 T. 8. N. R. 277.
 40.00 Let a temp. 7/4 sec post.
 80.12 Let a post for the N 13 line 15 links South of the post cr of
 Sec 16, 17, 20 & 21. Sound the same.

West Let the line line between Sec. 17 & 20. T. 8. N. R. 277.
 40.00 Let the temp. 7/4 sec post at the cr of sec. on the line from
 white, N Oak. 18 in dia. beam. S 55 E. 14 links dist; 70,
 Oak, 3 " " " S 84 N. 33 " "
 80.12 To the post cr of sec. 17, 18, 19 & 20.

West Return Sec 18 & 19 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white
 Buck 4 in dia. beam S 70 N. 36 links dist; 70,
 Oak 4 " " " " " "
 71.63 Let a post for the West Boundary 261 links South of the
 post cr of sec. 13 & 24 T. 8. N. R. 377 and let a post for
 " " " 18 & 19 from white,
 Buck 15 in dia. beam. N 83 N. 18 links dist; 70,
 Dog wood 4 " " " N 45 E. 22 " "
 Sound the same as last mile.

North Return Sec 17 & 18 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white
 Buck 24 in dia. beam N 15 E. 13 links dist; 70,
 Sugar. 12 " " " S 70 N. 23 " "
 55.50 To a Brook 15 links wide, corner N.

T. N. 8. N. R. N. 2nd 2nd M. Ind.

80.00 Set a post for the cr of sec 7, 8, 17, 18 from which
Hick 24 in dia^r beam. N 67.8 E. 16th dist. 12.
Lo. 10 " " " N 19 E. 13.
Sands the same.

East On a Remains line between Sec. 8 & 17. T. 8. N. R. 2nd M.

40.00 Set a timber post in sec 17.

80.16 Set out the N 13 line 26 links North of the post. cr
of sec. 8, 9, 16 & 17. Sands the same.

West Return Sec. 8 & 17. T. 8. N. R. 2nd M. Same line.

40.08 Set the timber post in sec 17 at the cr of sec. 15 in the same line.
From which, Hick 15 in dia^r beam. N 86 E. 18th dist.
ma & w Hick 15 in " " " N 16 E. 22 " "

80.16 Set the post cr of sec. 7, 8, 17 & 18.

West Return Sec. 7 & 18 T. 8. N. R. N. 2nd M.

24.50 To a Rock 25 links min, corner 2nd M.

40.00 Set a post from which

Beck 20 in dia^r beam. N 65 E. 16th dist. 12.

Lo. 10 " " " N 34 W. 14 " "

71.62 Set out the West Boundary 129 links South of the post
cr of sec 12 & 13. T. 8. N. R. 3rd M. and set a post for
the " " " 7 & 18 from which

Beck. 8 in dia^r beam. N 20 E. 5th dist. 12.

Lo. 12 " " " N 63 E. 19 " "

Sands the same.

North Return Sec. 7 & 18. T. 8. N. R. 2nd M.

9.50 To a Rock 18 links min, corner N.

40.00 Set a post from which

Sugar 12 in dia^r beam. N 30 E. 10th dist. 12.

Beck. 8 " " " N 58 E. 35 " "

T. N. 8. N. R. N. 2nd 2nd M. Ind.

71.00 To a Rock 18 in dia^r in the line.

80.00 Set a post for the cr of sec. 5, 6, 7 & 8 from which

Beck. 12 in dia^r beam. N 43 E. 12th dist. 12.

Lo. 6 " " " N 24 E. 10 " "

Sands the same as last note.

East On a Remains line between Sec. 5 & 8 T. 8. N. R. 2nd M.

40.00 Set a timber post in sec 17.

79.90 Set out the N 13 line 10 links North of the post cr of sec.
4, 5, 8 & 9. Sands the same.

West Return Sec. 5 & 8 T. 8. N. R. 2nd M. Same line.

39.95 Set the timber post in sec 17 at the cr of sec. 15 in the same line from
which, Hick 20 in dia^r beam. East 8th dist. 12.

Beck 24 " " " N 19 E. 12 " "

79.90 To the cr of sec. 5, 6, 7 & 8.

West Return Sec. 6 & 7 T. 8. N. R. 2nd M.

40.00 Set a post from which

Beck. 12 in dia^r beam. N 66 E. 26th dist. 12.

Lo. 8 " " " N 30 E. 7 " "

73.20 Set out the N Boundary 100 links South of the post
cr of sec 7 & 12 T. 8. N. R. 3rd M. and set a post for the cr of
sec. 6 & 7 from which

Sugar 4 in dia^r beam. N 84 W. 15th dist. 12.

Lo. 18 " " " N 37 W. 24 " "

Sands the same.

North Return Sec. 6 & 5 T. 8. N. R. 2nd M.

36.00 To a Rock 20 in dia^r corner for the line, sec.

40.00 Set a post from which

Beck 10 in dia^r beam. N 81 E. 14th dist. 12.

Lo. 9 " " " N 40 W. 12 " "

S. R. S. R. No. 2772nd Mer. Sud.

46.27 Let out the N. Range 358 lms. East of the first ca of
 Jul. 31. 1830 29. N. R. 277 on a set apart from ca of Jul.
 576. from which,
 Hickory 3 in dist. from. S 87. 14 lms. dist. to,
 Buck 3 " " " S 58. 7. 8 " "
 Same the same. as last mnt.

Surveyed by
 Arthur Henric
 Sept. 1841

Survey?

I certify, that the foregoing Transcript of the field
 notes of Township No. 8. North of Range No. 2 West
 of the 2nd Principal Meridian in Indiana has
 been compared with the Original notes with Office
 and found to be correct.
 Surveyor General's Office,
 Cincinnati, Nov. 17 1841

Survey General.

Township No. 9. North of Range No. 2 West and Mer. Sud

South Boundary.

B 136

April 6. 1841. From the ca of T. 8 & 9 N. R. 277.
 West On the South Boundary of sec. 36 T. 9. N. R. 277.
 4000 Let a new post from which,
 Hickory 13 in dist. from. N 37. E 34 lms. dist. to,
 Do. 14 " " " S 53. 7. 22 " "
 8000 Let a post for the ca of sec. 35 T. 9. N. R. 277.
 Hickory 5 in dist. from. S 67. 28 lms. dist. to,
 Do. 4 " " " S 76. E. 14 " "
 Same best Timber Oak, Hickory

West On the South Boundary of sec. 35 T. 9. N. R. 277.
 35.00 Let a Brook 10 lms. into, Sec. 36
 4000 Let a new post from which,
 Buck 10 in dist. from. S 46. E. 14 lms. dist. to,
 Hickory 5 " " " S 87. 7. 16 " "
 8000 Let a post for the ca of sec. 34 T. 9. N. R. 277.
 Oak 13 in dist. from. N 30. 7. 13 lms. dist. to,
 Do. 18 " " " S 45. 7. 13 " "
 Same the same.

West On the South Boundary of sec. 34 T. 9. N. R. 277.
 4000 Let a new post from which,
 Sugar 12 in dist. from. S 25. E. 13 lms. dist. to,
 Do. 8 " " " S 57. 12 " "
 8000 Let a post for the ca of sec. 33 T. 9. N. R. 277.
 Gum 5 in dist. from. S 40. 7. 12 lms. dist. to,
 Black 36 " " " S 55. E. 15 " "
 Same best Timber Oak, Poplar & Sugar.

West On the South Boundary of sec. 33 T. 9. N. R. 277.
 4000 Let a new post from which,
 Sugar 10 in dist. from. S 22. 7. 13 lms. dist. to,